
METHOD FOR REMOVING ROLL-SET CURL FOR TWO-SIDED PRINTING Maria Jesus PEREZ RODRIGUEZ et al. 60004398-1 Sheet 1/6



FOR TWO-SIDED PRINTING Maria Jesus PEREZ RODRIGUEZ et al. 60004398-1 Sheet 2/6 100 120 AFTER PRINTING COMPLETED, PRESS "LOAD/UNLOAD" **MEDIA BUTTON TWICE** 122 REMOVE UNIMAGED PRINT MEDIUM FROM PRINTER SPINDLE 124 MOVE TUR CORE AND PRINT MEDIUM TO PRINTER SPINDLE 126 LOAD EMPTY CORE ON THE TUR 128 ATTACH PRINT MEDIUM ONTO THE TUR CORE 130 PRESS THE "A" BUTTON ON THE TUR 132 UNLOAD TUR CORE AND PRINT MEDIUM FROM TUR SPINDLE

METHOD FOR REMOVING ROLL-SET CURL

FIG. 1B

METHOD FOR REMOVING ROLL-SET CURL FOR TWO-SIDED PRINTING Maria Jesus PEREZ RODRIGUEZ et al. 60004398-1 Sheet 3/6





FIG. 1C

METHOD FOR REMOVING ROLL-SET CURL FOR TWO-SIDED PRINTING Maria Jesus PEREZ RODRIGUEZ et al. 60004398-1 Sheet 4/6






FIG. 3A

METHOD FOR REMOVING ROLL-SET CURL FOR TWO-SIDED PRINTING Maria Jesus PEREZ RODRIGUEZ et al. 60004398-1 Sheet 5/6





Fig. 3B



METHOD FOR REMOVING ROLL-SET CURL FOR TWO-SIDED PRINTING Maria Jesus PEREZ RODRIGUEZ et al. 60004398-1 Sheet 6/6




Fig. 5